

[Signature]
12/3/09

Production/Admin:
Date
Received/Costing
Initial

Location

Initials of receiver (if shipment OK) Level 12

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Discrepancies

Work Order
QC6 Inspection
Shipment Complete:
Waybill Attached:
Release Note Attached:
Batch No. M/21196
Part P/O: 16567

Date: 12/3/09
Supplier: FH255
Packing Slip: Yes ☒ No ☐
Invoice: Yes ☐ No ☒
Receipt: Yes ☐ No ☒
Cash: ☐ Cr ☒

Receiving Report

Purchase Order Receipt Listing

Thursday, March 29, 2012 8:18:01 AM

All amounts are calculated in domestic currency.

All Vendors	PO ID PO16567	Receipt Dates from 3/29/2012 to 3/29/2012	All Line Item Types
All Item ID/GL/WOs	All Rec. Employees	All Currencies	
Grouped by Vendor ID			

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO16567	1		M174R0.750	f	3/30/2012 3/29/2012		48.0000	\$5.14	0.0000	0	\$246.73
CAD	No		17.4 round bar .750	f	48.0000 DESJ02			\$246.73	0.0000	0	
			121196								
Total Received Quantity:											48.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$246.73
Total Balance Due Quantity:											0.0000

DATE

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPORTEES IMMEDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

Handwritten signature

1/2/2006

Page: 1 ... Last

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT. * 9:00 AM TO 4:00 PM ***
***** TEL. 800-926-2600 *****
***** WE STOCK STAINLESS STEEL *****
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **
TOTAL G.W 1 BDL 81 LBS

1/4/29

TOTAL:

Quantity	PCS	Wt LBS
48 FT	4	71
Tags	1	
PCS	4	71

MTR

B I L L O F L A D I N G
1) Our order PEC-434262- 1 Your PO # 16567
STAINLESS STEEL ROUND BAR 17-4 STAINLESS
Heat Number Tag No
G18680 51305

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 28Mar12 at 8:38 From PFW
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0 - 0 Manifest
Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

B I L L O F L A D I N G

34

THYSSENKRUPP MATERIALS NA

Certificate of Mill Test Results
28Mar12 Pg 1/2

DART AEROSPACE
STAINLESS STEEL ROUND BAR 17-4 STAINLESS
PART NO. 144.0000"

CERTIFICATE OF TESTS

CERT SERIAL# 000807336

TALLEY METALS
A Carpenter Company

Talley Metals Technology, Inc.
205 Talley Metals Lane
McBee, SC. 29101 Tel: (610) 208-2000 (800) 338-4592

- THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER FEDERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.
- THE VALUES AND OTHER TECHNICAL DATA REPRESENT THE RESULTS OF ANALYSES AND TESTS MADE ON SAMPLES COLLECTED FROM THE TOTAL LOT. ORIGINAL DATA RECORDS CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

01/26/12
CUSTOMER / BESTELLER / CLIENT
THYSSENKRUPP MAT'L'S. CA LTD
2821 LANGSTAFF ROAD
CONCORD, ONTARIO
L4K 5G6, CANADA

TALLEY METALS TECH, INC.
ACCOUNTS PAYABLE
P.O. BOX 2498
HARTSVILLE, SC 29551

CUSTOMER ORDER NO. / BESTELL.-NR. / N° DE COMMANDE	CARPENTER NO. / MLKRS.-NR. / N° DE REFERENCE INTERNE	DATE / DATUM / DATE	KTIGHT / GEWICHT / POIDS
PEC-236142-001	TLY974201 L14077	01/26/12	1629.000

HEAT NUMBER / SCHMELZ-NR. / N° DE COLIER: G18680

UNS NUMBER S17400

PRODUCT DESCRIPTION: TYPE 17-4 SOLUTION ANNEALED COLD FINISH

SPECIFICATION: TALLEY 174-T1A CAP OF H900 (01/11/99)

AMS 2303 REV F (08/10)
AMS 2315 REV F (01/08)
AMS 5643 REV R (02/08)

ASTM-A484-11
ASTM-A564-10
ASTM-A564-2011 EDITION (TYPE 630)
ASTM-F899-11 (CHEM ONLY)

SIZE 0.750000 IN. (19.05 MM) RD BAR

PRIMARY HEAT CHEMISTRY (WT%): (TEST METHOD IS SHOWN IN PARENTHESIS)

C (COM)	0.026	0.86	0.41	0.023	0.024	0.25	0.028	3.74	0.26	4.20	0.26
SI (XRF)	P (XRF)	S (COM)	CR (XRF)	TA (XRF)	CB (XRF)	TA (XRF)	LT .01				

THIS HEAT MELTED BY THE ELECTRIC ARC/AOD PROCESSES
THIS MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH CARPENTER SPECIALTY ALLOYS
OPERATIONS QUALITY PROGRAM MANUAL REVISION 30, DATED 09/28/11.

WILL HEAT TREATMENT:
SOL ANL
TEMP 1900F (1037C)
TIME (BATCH FURNACE) 1.30 HOURS
QUENCH WATER

DISCS MACROETCHED AND APPROVED

HARDNESS AS SHIPPED, HBW - 294

MAGNETIC PARTICLE: FREQUENCY = 0 / SEVERITY = 0 (MIDRADIUS)

MICROSTRUCTURE - FERRITE 1.29%

CONTINUED ON NEXT PAGE

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.
Die vorliegende Zertifizierung ist nur für den in diesem Formular genannten Kunden gültig. Carpenter übernimmt gegenüber Dritten keinerlei Haftung für die aus gewissen Umständen oder Zertifizierungen.
Ce certificat est uniquement valable pour le client dont le nom est imprimé sur ce formulaire. Carpenter n'assume pas de responsabilité pour une certification vis-à-vis d'une tierce personne.

THYSSENKRUPP MATERIALS NA

Certificate of Mill Test Results

28Mar12 Pg 2/2

Signed by:

BL PEC-759860-001

DART AEROSPACE
STAINLESS STEEL ROUND BAR 17-4 STAINLESS
PART NO. 750" DIA X 144.0000"

PO/RAL 1657
We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

CERTIFICATE OF TESTS

CERT SERIAL# 000807336

TALLEY METALS
A Carpenter Company



- THE RECORDING OF ANALYTICAL DATA REPRESENTS THE RESULTS OF ANALYSES AND TESTS MADE BY TALLEY METALS.
- THE VALUES AND OTHER TECHNICAL DATA REPORTED IN THIS DOCUMENT ARE BASED ON THE TOTAL LOT. ORIGINAL DATA CAN BE TRACED BY REFERENCE TO THE CARPENTER ORDER NUMBER.
- MATERIAL IS MANUFACTURED FREE FROM MERCURY, RADIUM, ALPHA AND GAMMA SOURCE CONTAMINATION.
- THIS DOCUMENT SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN CONSENT OF CARPENTER TECHNOLOGY CORPORATION.

Talley Metals Technology, Inc.
205 Talley Metals Lane
Mebee, SC, 29101 Tel: (610) 208-2000 (800) 338-4592

01/26/12
CUSTOMER/BESTELLER/KLIENT

THYSSENKRUPP MAT'L'S. CA LTD

PECKOVER'S
2821 LANGSTAFF ROAD
CONCORD, ONTARIO
L4K 5G6, CANADA

TALLEY METALS TECH, INC.
ACCOUNTS PAYABLE
P.O. BOX 2498
HARTSVILLE, SC 29551

CUSTOMER ORDER NO./BESTELL-NR./N° DE COMMANDE	CARPENTER NO./WERKS-NR./N° DE REFERENCE INTERNE	DATE/DATUM/DATE	WEIGHT/GEWICHT/POIDS
PEC-236142-001	TLY974201 L14077	01/26/12	1629.000

HEAT NUMBER / SCHMELZ-NR. / N° DE COULEE: G18680

UNS NUMBER S17400

CAPABILITY

900 F (482 C), 01 HR AIR COOL

(T) TRANSVERSE (L) LONGITUDINAL

YIELD STRENGTH, KSI (MPA) 214.0 (1475)
TENSILE STRENGTH, KSI (MPA) 214.0 (1475)
ELONGATION IN 1.40", % 11.0
REDUCTION OF AREA, % 52.0
HARDNESS, HBW 421.0

(CONVERTED FROM TENSILE STRENGTH)


NO WELD REPAIR PERFORMED
MATERIAL PRODUCED ON THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A.
MATERIAL HAS BEEN MELTED IN USA OR QUALIFYING COUNTRY TO DEARS REQUIRE-
MENTS 252.225-7014 WITH ALTERNATE 1 FOR QUALIFYING COUNTRY TO DEARS REQUIRE-
MENTS 252.225-7008 AND 252.225-7009;
THIS ORDER WAS MANUFACTURED IN ACCORDANCE WITH CARPENTER SPECIALTY ALLOYS
OPERATIONS QUALITY PROGRAM MANUAL, REVISION 30 DATED 09/28/11.

WE HEREBY CERTIFY THAT THE ABOVE TEST DATA ARE IN ACCORDANCE WITH THE
PURCHASE ORDER AND SPECIFICATION REQUIREMENTS. CERTIFICATE OF TEST IS
PREPARED IN ACCORDANCE WITH PARAGRAPH 3.1 OF EN 10204 (DIN50049)

STEPHANIE E. MCCULLUM
QUALITY ASSURANCE ENGINEER
CARPENTER TECHNOLOGY CORPORATION

Stephanie E. McCullum

This certification is made to the customer printed on this form. Carpenter neither makes, nor assumes responsibility for, any representation or certification to other parties.
Die vorliegende Zertifikatierung ist nur für den in diesem Formular genannten Kunden gültig. Carpenter übernimmt keine Verantwortung für irgendwelche Aussagen oder Zertifikatierungen.
Ce certificat est uniquement valable pour le client dont le nom est imprimé sur ce formulaire. Carpenter n'assume pas de responsabilité pour une certification ou une attestation à d'autres personnes.



DART Aerospace Ltd.
 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Tel: 613 632 9577
 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO16567

Purchase Order Date 3/27/12

PO Print Date 3/27/12

Page Number 1 of 1

Order From: VC-COP001

THYSSENKRUPP MATERIALS CA LTD

O/A VPK METAL-C/O T27540/PO BOX 4275,POSTAL"A"

TORONTO, ON M5W 5V8

CA

Contact Name Vendor Phone Vendor Fax Vendor Account Nbr	Buyer Requisition Nbr Tax Resale Nbr Terms Currency FOB	Chantal Lavoie 10127-2607 Net 30 CAD Destination-Collect
--	--	--


Ship To :

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Nbr	Reference	Revision ID	Vendor Part Number	Description/	Mfg ID	Reg Date/	Taxable	Unit of Measure	Ship Method	Unit Price	Extended Price
----------	-----------	-------------	--------------------	--------------	--------	-----------	---------	-----------------	-------------	------------	----------------

1	M174R0.750			17-4 round bar .750		3/30/12		48.00	Yours ppd	\$5.1050	\$245.04
---	------------	--	--	---------------------	--	---------	--	-------	-----------	----------	----------

Special Inst: MATERIAL: 17-4 PH/S17400 TYPE 630 SS

ROUND BAR

AS PER AMS 5643 OR ASTM A564

PO Total: \$245.04

MATERIAL CERTIFICATION
READ UPON DELIVERY

Change Nbr: 1

Change Date: 3/27/12

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable